

Garden Tip for February

David Hillock

General

- Base any plant fertilization on a soil test. For directions, contact your county Extension Educator.
- Provide feed and unfrozen water for your feathered friends.
- Clean up birdhouses before spring tenants arrive during the middle of this month.
- Avoid salting sidewalks for damage can occur to plant material. Use alternative commercial products, sand or kitty litter for traction.
- Join *Oklahoma Gardening* on your OETA station for the start of its 39th season beginning in February. Saturdays at 11:00 a.m. and Sundays at 3:30 p.m.

Trees & Shrubs

- Fertilize trees, including fruit and nut trees and shrubs, annually. (HLA-6412)
- Most bare-rooted trees and shrubs should be planted in February or March. (HLA-6414)
- Finish pruning shade trees, summer flowering shrubs and hedges. Spring blooming shrubs such as forsythia may be pruned immediately after flowering. **Do not** top trees or prune just for the sake of pruning. (HLA-6409)
- Look for arborvitae aphids on many evergreen shrubs during the warmer days of early spring.
- Gall-producing insects on oaks, pecans, hackberries, etc. need to be sprayed prior to bud break of foliage.
- Dormant oil can still be applied to control mites, galls, overwintering aphids, etc. (EPP-7306)

Fruit & Nuts

- Spray peaches and nectarines with a fungicide for prevention of peach leaf curl before bud swell. (EPP-7319)
- Mid-February is a good time to begin pruning and fertilizing trees and small fruits.
- Collect and store graft wood for grafting pecans later this spring.
- Begin planting blackberries, raspberries, strawberries, grapes, asparagus and other perennial garden crops later this month.
- Choose fruit varieties that have a proven track record for Oklahoma's conditions. Fact Sheet HLA-6222 has a recommended list.

Turf

- A product containing glyphosate plus a broadleaf herbicide can be used on **dormant** bermuda in January or February when temperatures are above 50° F for winter weed control. (HLA-6421)

Vegetables

- Cool season vegetable transplants can still be started for late spring garden planting.
- By February 15 many cool season vegetables like cabbage, carrots, lettuce, peas and potatoes can be planted. (HLA-6004)

Flowers

- Force spring flowering branches like forsythia, quince, peach, apple, and weigela for early bloom indoors.
- Forced spring bulbs should begin to bloom indoors. Many need 10-12 weeks of cold, dark conditions prior to blooming.
- Feed tulips in early February.
- Wait to prune roses in March.

Oklahoma Gardening is produced by the [Oklahoma Cooperative Extension Service](#) through the [Department of Horticulture and Landscape Architecture](#) and [Agricultural Communications Services](#). Our studio garden is located at [The Botanic Garden at Oklahoma State University](#).